

# Safes

Secure Storage



**Saflok**<sup>™</sup>  
A Member of the Kaba Group



## Unparalleled Security and User-Friendly Operation

In today's wired world, people carry a wide array of expensive electronic devices, and they want a safe and secure place to store them when away from home. SAFLOK™ has the solution with a complete line of in-room safes that combine impeccable construction, security, and user-friendly operation. These safes are ideal for hotels, resorts, apartments, student housing, offices, and more.

### Designed to Match Any Interior Décor

A powder coat finish adds long-lasting durability, while the smooth, rounded corners blend with any room décor. Keypad color options can be combined with different safe color options. For example, a black keypad can be combined with a silver safe, or vice versa. SAFLOK safes come standard in silver on black, silver on silver, or ivory on ivory. Additional color options are also available at an upcharge.

## Solid Security and User-Friendly Operation

SAFLOK™ safes are easy to use while offering secure storage for personal items.

### Programmable Personal Code Entry

- Guests choose their own personal four-digit code to lock/unlock the safe

### Illuminated Keypad

- The energy-conserving, attractively illuminated keypad brightly lights the keys for easy readability and enhanced operation, even in dimly lit places like closets. The keypad is lit upon the first keystroke as the first digit is displayed, stays illuminated throughout operation, and quickly resumes the low-power dark state as soon as the command to lock or open the safe is processed. Bulbs never need changing because solid-state, energy-efficient LEDs are used to brilliantly light the soft-touch translucent keys

### Audit Trail - Single Option Available

- An electronic control unit (ECU)/handheld unit lets you print the last 100 entries, showing who used the safe and in which room

### Code Blocking

- This additional safety measure guards against unauthorized use. If three attempts are made to get into the safe with an improper code, the system will automatically shut down for 15 minutes

### Battery Override Unit

- Allows access to the safe if the guest forgets the pass code or if a battery failure occurs, so no valuables are ever trapped inside the safe

### Electronic Master Key (Protected Master Code) and User Code

- The ECU offers a manager code and 20 user codes, allowing the property to unlock the safe and override any code set by a guest

### One-Touch Battery Audit

- Instantly obtain battery conditions by touching the # key on the digital keypad

### Quick-Access Battery Panel

- Batteries are housed in a special slide panel inside the door for easy access. There is no need to remove the entire door cover to get to the batteries

### Handheld Programmer

- An easy-to-use handheld unit serves as a programmer and password-protected ECU for all safes. It can be used to obtain an access audit trail and as an emergency unit to unlock the safe, if necessary



### Messenger® for Safes

SAFLOK™ has designed a Messenger® module for safes in Messenger®-installed properties. Real-time messages are sent from the module to the central communication point. The module sends a one-way message every time the door is opened or closed and stores the safe's use history that can be interrogated for later use. Through the use of Messenger technology, the property can check the status of the guestroom safes upon the guest's check-out.

## Optional Features

Electronic illuminated keypad is the standard configuration. The following alternate configurations are also available:

### Mechanical Key Operation Only (Optional)

- Uses the state-of-the-art Medeco key and cylinder locking system

### Electronic Keypad Only

- Provides guests with digital access for locking and unlocking the safe. Guests choose their own personal four-digit code, enter it on the keypad, shut the door, and press the close button for secure locking

### Electronic Keypad with Card Swipe

- Instead of remembering numbers, guests may use any card with a magnetic stripe that writes to track 2 to lock/unlock the safe



Card swipe available on classic keypad only.

### Electronic Keypad with Card Swipe and Mechanical Key Override (Optional)

- In case of emergency, a Master key can be used to unlock the safe. All electronic safes come with an electronic override

### Brass Plaque

- A bright brass plaque with your property's name can be affixed to the front of safes. Plaques hold up to ten characters. Only available with optional mechanical key override (MKO®)



### Mounting Pedestal

- Available with the S1.6S, S1.6, S2.6S, S2.6, S3.6S, S3.6, S6.6S, and S6.6 models

Pedestal	Height mm/inches	Weight lbs./kg
Pedestal I	343 13-1/2"	3-1/2 1-1/2
Pedestal II	229 9"	3 1

## Specifications

Model	Exterior mm/inches H x W x D	Interior mm/inches H x W x D	Door Opening mm/inches H x W x D	Clear Door Opening mm/inches H x W
<b>S1.6S</b> <b>S1.6</b> Classic keypad with swipe / Oval keypad (no swipe)	229 x 432 x 352 9.02" x 17.01" x 13.86"	203 x 427 x 280 8" x 16.82" x 11.02"	180 x 384 7.09" x 15.12"	180 x 349 7.09" x 13.74"
<b>S2.6S</b> <b>S2.6</b>	337 x 324 x 324 13.27" x 12.76" x 12.76"	311 x 318 x 260 12.24" x 12.52" x 10.24"	289 x 277 11.38" x 10.91"	180 x 349 7.09" x 13.74"
<b>S3.6S</b> <b>S3.6</b>	553 x 380 x 433 21.77" x 14.96" x 17.05"	524 x 372 x 360 20.61" x 14.65" x 14.17"	508 x 333 13.11" x 20"	508 x 298 20" x 11.73"
<b>S5.6S</b> <b>S5.6</b> (Wall) (Wall)	419 x 352 x 165 16.5" x 13.86" x 6.5"	413 x 346 x 95 16.26" x 13.62" x 3.74"	380 x 310 14.96" x 12.2"	355 x 277 13.98" x 10.91"
<b>S6.6S</b> <b>S6.6</b>	203 x 495 x 394 7.99" x 19.49" x 15.51"	178 x 483 x 305 7.01" x 19.02" x 12.01"	158 x 449 6.22" x 17.68"	158 x 413 6.22" x 16.26"



For worldwide office locations and contact information, visit us at [www.saflok.com](http://www.saflok.com).

USA • Canada

Phone: **877.272.3565**

Europe • Middle East • Africa

Phone: **33.1.30.13.04.04**

Asia

Phone: **86.10.5861.3561**



Manufactured under one or more of the following patents:  
 U.S.: 4,177,657; 4,411,144; 4,534,194; 4,890,870; 5,198,643;  
 5,477,041; 5,820,177; 5,986,564; 7,051,561; D494,841; D501,131  
 D512,899; D519,021; D531,629; D533,009; D533,047; D533,762;  
 D533,763; D535,629 CANADA: 1,252,854; 1,298,902  
 U.K. 2,010,375  
 Other U.S. and foreign patents pending

SAFLOK reserves the right to modify the characteristics and features of all products in this publication.  
 ©2008 SAFLOK, all rights reserved.